

R01



**DRIVEN^{BY}
PASSION**

SILICON HEART. R01

 **RONDA**

MECHANICAL MOVEMENTS SWISS MADE

R01-01

3 HANDS, DATE



R01-02

2 HANDS, SMALL SECOND, DATE



TECHNICAL SPECIFICATIONS

SERIES

R01

CALIBERS

R01-01 3 hands, date

R01-02 2 hands, small second, date

SIZE

12½", 28.2 mm

HEIGHT

4.2 mm

ESCAPEMENT

Silicon hairspring

Silicon pallet-fork & escape wheel

ACCURACY

0 ... 14 sec per day x 3 positions

0 ... 8 sec per day x 5 positions

Chronometer – COSC Criteria

POWER RESERVE

Typical 80 hours

BEAT RATE

3.5 Hz / 25.200 VPH

JEWELS

25

MOVEMENT DECORATIONS



D1 MATTE



Bridges with matte finish
Bimetal oscillating weight, matte
Nickel-plated




D2 BRUSHED



Bridges vertically brushed
Monobloc oscillating weight with Geneva stripes
Rhodium-plated




D3 GENEVA STRIPES



Bridges with Geneva stripes and colimaconnage
Open monobloc oscillating weight
Rhodium-plated

ALL VERSIONS AVAILABLE WITH CUSTOM DECORATIONS



RONDA **R01** BENEFITS

- + **FULL SILICON ESCAPEMENT**
- + **HIGH-PERFORMANCE CHRONOMETRY**
- + **TYPICAL POWER RESERVE OF 80 HOURS**
- + **ONE MOVEMENT SIZE, MULTIPLE FUNCTIONS**
- + **UNPARALLELED POTENTIAL FOR DECORATION**
- + **SWISS MADE**

RONDA AG | Hauptstrasse 10, 4415 Lausen | Switzerland
+41 61 926 50 00 | info@ronda.ch

RONDA Ltd. | Unit 19, 27/F, Tower B southmark,
11 Yip Hing Street Wong Chuk Hang, Aberdeen | Hong Kong
+852 2542 0249 | info@ronda.com.hk

RONDA.CH